



ALARM VALVE




Alarm valve is a water leakage detection device for wet type sprinkler system and it is widely used for apartment and office studio.


All the 1st, the 2nd pipe are filled with pressurized water, when more than one of the sprinkler heads open, the signal and alarm will be sent out and the pressurized water is discharged. A delayed timer in the alarm switch prevents false actions caused by the change of water pressure in piping.

DIMENSIONS


DIMENSIONS



LEFT



FRONT



RIGHT

SIZE	H1	H2	L1	L2	L3	L4	C1	PT
65A	220	270	143	125	178	183	153	PT 1-1/4" (32A)
80A	220	270	145	125	183	188	158	
100A	250	300	160	152	195	200	170	PT 2" (50A)
125A	260	310	195	168	215	220	180	
150A	280	330	210	178	230	260	210	

■ SPECIFICATION

■ Alarm Valve

Model No.	SWAV - 1				
Size	65A	80A	100A	125A	150A
Working Pressure	1 MPa (1.5 ~ 14kg/cm ²)				
Test Pressure	2 MPa (20kg/cm ²)				
Installations	Vertical				
Materials	Body, Bonnet	Disc	Seat ring	Packing	
	GC 200	GCD 45	BC 6	N,B,R	

■ Alarm Switch

Elec.	DC 24V		
Connect	PT 3/8"(10A)		
Retard	4~6 sec		
Materials	Body	Base	Cover
	C3771BE	SS 41	ABS

SYSTEM

ALARM VALVE SYSTEM

